

Appendix A: ACO Measure Grid¹

Measure Area and Measure	Cal ¹ IHA	MU ²	Dartmouth	HEDIS	NQF Endorsement
Prevention Measures					
Childhood Immunization Status	•	•	•	•	•
Immunization for Adolescents	•			•	
Chlamydia Screening in Women	•	•	•	•	•
Cervical Cancer Screening		•	•	•	•
Evidenced Based Cervical Cancer Screening	•				
Breast Cancer Screening	•	•	•	•	•
Colorectal Cancer Screening	•	•	•	•	•
Tobacco Screening and Cessation		•	•	•	•
Adult BMI Assessment			•	•	
Adult Weight Screening and Follow-up		•			
Weight Assessment and Counseling for Children and Adolescents		•	•	•	
Preventive Care and Screening: Influenza Immunization for Patients ≥ 50 Years Old		•	•		
Flu shots for adults age 50-64				•	•
Flu shots for older adults				•	
Pneumonia Vaccination Status for Older Adults		•	•	•	•
Lead Screening in Children				•	
Care for Older Adults				•	•
Fall Risk Management				•	•
Osteoporosis Testing in Older Women				•	•
Physical Activity in Older Adults				•	•
Prenatal Care: Screening for HIV		•			
Prenatal Care: Anti-D Immune Globulin		•			
Tobacco Use Assessment		•			
Tobacco Cessation Intervention		•			
Chronic Care Measures					
Medications					
Annual Monitoring for Patients on Persistent Medications	•		•	•	•
Medication Reconciliation			•	•	•
Potential Harmful Drug Disease Interactions			•	•	
Use of High-Risk Medications in the Elderly				•	•

¹Table was created in conjunction with NCQA's Research, Performance Measurement and Analysis Department. During public comment we are soliciting feedback on this measure list.

Table 1: ACO Measure Grid

Measure Area and Measure	Cal ¹ IHA	MU ²	Dartmouth	HEDIS	NQF Endorsement
CV disease					
Cholesterol Management for Patients With Cardiovascular Conditions (Screening & LDL<100).	•	•	•	•	•
Controlling High Blood Pressure	•	•	•	•	•
IVD: Complete Lipid Panel and LDL Control		•			
Ischemic Vascular Disease (IVD): Use of Aspirin or another Antithrombotic		•	•		
Ischemic Vascular Disease (IVD): Blood Pressure Management BP<140/90		•	•		
Beta Blocker post MI			•		
Beta Blocker for CAD Patients w/prior MI		•			
Persistence of Beta-Blocker Treatment After a Heart Attack				•	
Hypertension: Blood Pressure Measurement		•			•
Oral Antiplatelet Therapy Prescribed for Patients w/CAD		•			
Drug Therapy for Lowering LDL Cholesterol		•			
Heart Failure: ACE or ARB Therapy for LVSD		•			
Heart Failure: Beta-Blocker Therapy for LVSD		•	•		
Heart Failure: Warfarin Therapy for Atrial Fibrillation		•			
Heart Failure: BP Control			•		
Heart Failure: LDL Control			•		
Aspirin Use and Discussion				•	
CAD: Aspirin Prophylaxis			•		•
Diabetes Care					
HbA1c Testing	•	•	•	•	•
HbA1c Poor Control >9	•	•	•	•	•
HbA1c Control <8.0%,	•	•	•	•	•
HbA1c Control <7.0%	•			•	
LDL Screening	•	•	•	•	•
LDL Control LDL<100	•	•	•	•	•
Nephropathy Monitoring	•	•	•	•	•
Blood Pressure Control BP<140/90	•	•	•	•	
Blood Pressure Control BP<130/80				•	
Eye exam		•	•	•	•
Foot Exam		•			•
Optimal Diabetes Care (CDC) composite	•				
Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy		•			
Diabetic Retinopathy: Communication with the Physician Managing Ongoing Diabetes Care		•			
Diabetes: Aspirin Prophylaxis			•		
Diabetes Registry and related activities	•				

Measure Area and Measure	Cal ¹ IHA	MU ²	Dartmouth	HEDIS	NQF Endorsement
Diabetes Care Management Program	•				
Respiratory					
COPD Assessment-Dx				•	•
COPD Exacerbation				•	•
Use of Appropriate Medications for People With Asthma		•	•	•	•
Asthma Assessment		•			
Asthma Pharmacologic Therapy		•			•
Asthma Medication Ratio	•				
Other Chronic					
Glaucoma Screening in Older Adults				•	
Primary Open Angle Glaucoma: Optic Nerve Evaluation		•			
DMARD Use				•	•
Osteoporosis Management in Women Who Had a Fracture				•	•
Initiation and Engagement of Alcohol and Other Drug Dependence Treatment: (a) Initiation, (b) Engagement		•		•	•
Anti-depressant medication management: (a) Effective Acute Phase Treatment, (b)Effective Continuation Phase Treatment		•		•	•
Follow-Up Care for Children Prescribed ADHD Medication				•	•
Follow-Up After Hospitalization for Mental Illness				•	•
Management of Urinary Incontinence in Older Adults				•	•
Chemo for Stage III Colon Cancer Patients		•			
Hormonal Therapy for Stage IC-IIIC Estrogen Receptor/Progesterone Receptor Positive Breast Cancer		•			
Avoidance of Overuse of Bone Scan for Staging Low Risk Prostate Cancer Patients		•			
Acute Care Measures					
Appropriate Testing for Children With Pharyngitis	•	•	•	•	•
Appropriate Treatment for Children With Upper Respiratory Infection	•		•	•	•
Avoidance of Antibiotic Treatment for Adults With Acute Bronchitis	•		•	•	•
Use of Imaging Studies for Low Back Pain	•	•	•	•	•
Resource Stewardship Measures					
Relative Resource for People with Diabetes				•	
Relative Resource for People with Asthma				•	
Relative Resource for People with Low Back Pain				•	
Relative Resource for People with Cardiovascular Conditions				•	
Relative Resource for People with Hypertension				•	
Relative Resource for People with COPD				•	
Inpatient Readmissions Within 30 Days (IRN)	•		•	•	

Table 1: ACO Measure Grid
Confidential NCQA Materials – Do Not Copy, Distribute or Disclose

Obsolete after 11/19/2010

Table 1: ACO Measure Grid

Measure Area and Measure	Cal¹ IHA	MU²	Dartmouth	HEDIS	NQF Endorsement
Inpatient Utilization—Acute Care Discharges (IPU)	•		•	•	
Inpatient Utilization—Bed Days (IPBD)	•		•	•	
Outpatient Surgeries Utilization—Percentage Done in ASC (OSU)	•			•	
Emergency Department Visits (EDV)	•		•	•	
Generic Prescribing (GRX)	•		•		
30 day Readmission Rate Following AMI			•		
30 day Readmission Rate Following HF hospitalization			•		
30 day Readmission Rate Following Pneumonia Hosp			•		
Preventable Hospitalizations			•		
Repeat Imaging			•		
Provider visit w/in 7 days of pt discharge			•		
Patient Experience Measures					
Adult or Pediatric Clinician Group CAHPS Survey	•		•	•	•

**For each column, a • demonstrates that the program utilizes the particular measure.

¹ Integrated Healthcare Association California Pay for Performance Program measures

² Centers for Medicare & Medicaid Services Requirements of Meaningful Use of Electronic Health Records